## **POLINET S.R.L**

Via Adolfo Albertazzi 25 00137 Rome (Italy) Tel. +39 06 87230358 Tel. +39 333 9530864 info@spiare.com



### PLM-RECJAM

## **ULTRASONIC MICROPHONE JAMMER**

The Microphone Jammer shields 99% of voice recorder and cell phone microphones by using ultrasonic frequencies.

To view the product video click here



The device is specifically designed to prevent confidential conversations from being recorded by covert audio recorder or mobile phones. (also store and forward bugs). To ensure shielding, the system is based on at least two jammer units which emit an ultrasonic signal generated on the basis of a proprietary algorithm protected by copyright.



## **POLINET S.R.L**

Via Adolfo Albertazzi 25 00137 Rome (Italy) Tel. +39 06 87230358 Tel. +39 333 9530864 info@spiare.com



### PLM-RECJAM



#### How to use the device:

- The first jammer should be positioned at a maximum distance of two meters with the ultrasonic speakers. They need to face the direction from which spy devices such as audio recorders or mobile phones might be used.
- The second jammer should be positioned and oriented to increase the angle of coverage to create a virtual canceling wall and prevent any unauthorized audio recording.
- Two remote controls are supplied to remotely activate each Jammer separately.



## **POLINET S.R.L.**

Via Adolfo Albertazzi 25 00137 Rome (Italy) Tel. +39 06 87230358 Tel. +39 333 9530864 info@spiare.com



#### PLM-RECJAM

# Microphone Jammer Specifications:

- Protection against: Microphones of Voice Recorders, Cell Phones, store & forward bugs.
- Protection distance each jammer: from 1 to 2 meters (depends on the type of microphone/recorder and the sensivity setting).
- Angle of coverage for single unit: from 90° to 120°.
- Number of ultrasonic transducers (transmitters): 4 units on each jammer.
- Sentivity setting: by knob
- Ultrasonic ignition: via the supplied remote control
- Battery type: built-in 1500mAh lithium battery (5VDC).
- Battery life: 3 4 hours when fully charged.
- Power supply (charger): AC adapter (Input: AC100V-240V; Output: DC9V/500mA).
- Maximum output power: 2W
- Power consumption: 25W
- Dimension: 123mm x79mm x 28mm
- Weight: 200 gr each jammer
- Operating temperature: -40°C to 55°C
- Relative Humidity: 35% to 85%

## The supply includes:

- 2 jammers ( jammers) for microphones and recorders
- 2 remote controls
- 2 power supply units
- 1 carrying case

To view the italian website of this product <u>click here</u>

